

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A method of establishing a communication channel using protected network resources, comprising:

creating a first data packet requesting a reservation of network resources and containing a first object comprising a connection request;

sending said first data packet requesting a reservation of network resources and containing a first object comprising a connection request from a first communication endpoint across a network to a second communication endpoint;

determining whether both said requested reservation of network resources and said requested connection are acceptable;

in response to determining that both said requested reservation of network resources and said requested connection are acceptable, creating a second data packet related to said request for network resources and containing a resource reservation message and containing a second object comprising a first connection request acknowledgment;

sending said second data packet containing said resource reservation message and containing said second object comprising a first connection request acknowledgment from said second communication endpoint to said first communication endpoint;

determining at said first communication endpoint whether said resource reservation message and said first connection request acknowledgment received from said second communication endpoint are acceptable;

in response to determining that both said resource reservation message and said first connection request acknowledgment received from said second communication endpoint are acceptable, creating a third data packet confirming said reservation of network resources and containing a third object comprising a second connection request acknowledgment; and

sending said third data packet from said first communication endpoint to said second communication endpoint.

2. (Original) The method of Claim 1, wherein said first data packet comprises an RSVP path message, said second data packet comprises an RSVP reservation message, and said third packet comprises an RSVP confirm message.
3. (Original) The method of Claim 1, wherein said first, second and third objects comprise transmission control protocol messages.
4. (Original) The method of Claim 1, wherein said first, second and third objects comprise session initiation protocol messages.

5. (Original) The method of Claim 1, further comprising:

receiving said first packet at a first network node intermediate to said first and second communication endpoints, said first network node:

acting on said request for a reservation of network resources; and
ignoring said first object.

6. (Original) The method of Claim 5, further comprising:

receiving said second packet at at least one of said first network node and a second network node, said at least one network node:

acting on said resource reservation message; and
ignoring said second object.

7. (Original) The method of Claim 6, further comprising:

receiving said third packet at at least one of said first network node and said second network node, said at least one network node:

acting on said reservation confirmation message; and
ignoring said third object.

8. (Original) The method of Claim 1, further comprising:

sending data across said reserved network resources between said first and second communication endpoints.

9. (Original) The method of Claim 1, wherein said first communication endpoint comprises one of a telephony device and a general purpose computer.

10. (Original) The method of Claim 1, wherein said network node comprises one of a router or gateway.

11. (Currently Amended) A computational component for performing a method, the method comprising:

creating at a first communication endpoint a first data packet requesting a reservation of network resources and containing a first object comprising a connection request;

sending said first data packet across a network;

receiving at said first communication endpoint a second data packet related to said request for network resources and containing a second object comprising a connection request acknowledgment; and

sending creating at said first communication endpoint a third data packet confirming said reservation of network resources and containing a third object comprising a second connection request acknowledgment;

sending said third data packet across said network.

12. (Original) The method of Claim 11, further comprising:
sending data using said reserved network resources.
13. (Original) The method of Claim 11, wherein said objects comprise one of
transmission control protocol and session initiation protocol objects.
14. (Original) The method of Claim 11, wherein said data packets comprise
one of resource reservation protocol, resource reservation protocol traffic engineering,
and CR-LDP reservation messages.
15. (Original) The method of Claim 11, wherein said computational
component comprises a computer readable storage medium for performing the method.
16. (Original) The method of Claim 11, wherein said computational
component comprises a logic circuit.
17. (Currently Amended) A system for establishing a communication channel
using reserved network resources, comprising:
a first communication endpoint means; and
communication network means interconnected to said first communication
endpoint means, wherein said communication endpoint means transmits at least a first

data packets comprising packet, wherein said at least a first data packet comprises: a)
means for requesting a reservation of network resources; and b) at least a first object
comprising signaling means for establishing a communication channel between
communication endpoints.

18. (Original) The system of Claim 17, further comprising:
second communication endpoint means interconnected to said communication
network means.

19. (Currently Amended) The system of Claim 18, further comprising means
for routing data packets, wherein at least a first action is taken ~~take~~ in response to
receiving said means for requesting a reservation of network resources, and wherein said
means for establishing a communication channel between communication endpoints is
ignored.

20. (Original) A data packet, comprising:
a network resource reservation protocol object; and
a communication protocol object.

21. (Original) The data packet of Claim 20, wherein said reservation protocol
object comprises an RSVP message.

22. (Currently Amended) The data packet of Claim [[20]] 21, wherein said communication protocol object comprises one of a TCP, SCTP and SIP protocol message.

23. (Original) The data packet of Claim 20, wherein said communication protocol object is embedded in said network resource reservation protocol object.

24. (Currently Amended) A computational component for performing a method, the method comprising:

receiving at a communication endpoint a first data packet requesting a reservation of network resources and containing a first object comprising a connection request;

creating at said communication endpoint a second data packet related to said request for network resources and containing a second object comprising a connection request acknowledgment; and

receiving at said communication endpoint a third data packet confirming said reservation of network resources and containing a third object comprising a second connection request acknowledgment.

25. (Original) The method of Claim 24, further comprising:
sending data using said reserved network resources.

26. (Original) The method of Claim 24, wherein said objects comprise one of transmission control protocol and session initiation protocol objects.

27. (Original) The method of Claim 24, wherein said data packets comprise one of resource reservation protocol, resource reservation protocol traffic engineering, and CR-LDP reservation messages.

28. (Original) The method of Claim 24, wherein said computational component comprises a computer readable storage medium for performing the method.

29. (Original) The method of Claim 24, wherein said computational component comprises a logic circuit.